

08/17/00

JCS35

U.S. PTO

Please type a plus sign (+) inside this box → ☐

Approved for use through 09/30/2000. CMB 0551-0032
 Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
 For the Paperwork Reduction Act of 1996, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

JCS02 U.S. PTO

09/639825

08/17/00

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No.

AVI 007

First Inventor or Application Identifier

Michael Chen

Title

Scanner with an output port connected to a printer or a storage device.

Express Mail Label No.

APPLICATION ELEMENTS

See MPEP reader 500 concerning utility patent application contents

ADDRESS TO:

 Assistant Commissioner for Patents
 Box Patent Application
 Washington, DC 20231

1. ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
 (Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages
 (preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfilm Appendix
 - Background of the invention
 - Brief Summary of the invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets

4. ☒ Oath or Declaration [Total Pages
 a. ☒ Newly executed (original or copy)
 b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
 (for continuation/divisional with Box 7 completed)
 (Note Box 5 below)
 1. ☐ DECLARATION OF INVENTOR(S)
 Signed statement attached declaring
 inventor(s) named in the prior application,
 see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

5. ☐ Incorporation By Reference (Use only if Box 4b is checked)
 The entire disclosure of the prior application, from which a
 copy of the oath or declaration is supplied under Box 4b, is
 considered to be part of the disclosure of the accompanying
 application and is hereby incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission
 (if applicable, all necessary)
 a. ☐ Computer Readable Copy
 b. ☐ Paper Copy (identical to computer copy)
 c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 C.F.R. § 3.73(b) Statement (when there is an assignee) ☒ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☐ Return Receipt Postcard (MPEP 503)
 (Should be specifically itemized)
14. ☐ * Small Entity Statement(s) ☐ Statement filed in prior application
 (PTO/SB/09-12) Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
 (if foreign priority is claimed)
16. ☐ Other:

* NOTE FOR ITEMS 1 & 14: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY
 FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.21), EXCEPT
 IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.23).

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a claim/entry statement

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)

of prior application No. _____

Prior application information

Examiner _____

Group / Art Unit: _____

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☒ Correspondence address below

Name	Winston Hsu				
Address	3F, No. 52, Lane 46, Ming-Sheng Road, Yung-Ho City, Taipei Hsien, Taiwan, R.O.C.				
City	State	Zip Code	234		
Country	Taiwan, R.O.C.	Telephone	886-2-2948-3200	Fax	886-2-2948-6200

Name (Print/Type)	Winston Hsu	Registration No. (Attorney/Agent)	41,526
Signature	Winston Hsu	Date	8/15/2000

Broken Four Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any
 comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office,
 Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents
 Box Patent Application, Washington, DC 20231.

09639825, 081700

SCANNER WITH AN OUTPUT PORT CONNECTED TO A PRINTER OR A STORAGE DEVICE

BACKGROUND OF THE INVENTION

5

1. Field of the Invention

The present invention relates to a scanner, and more particularly, to a scanner with an output port connected to a printer or a storage device.

10

2. Description of the Prior Art

Scanners are common computer peripherals that are used for scanning documents and generating corresponding image data. The prior art scanner must be connected to a host computer when performing its various functions. For example, a prior art scanner is typically connected to printer, via a computer, for printing out document image data, thereby achieving the functionality of a copier. Alternatively, the scanner may be connected to a portable storage device, via a computer, for storing image data in the storage device, enabling users in public places, such as libraries or offices, to take away the image data on a digital media. However, as a host computer controls the operations of the scanner in both examples, such functionality is not convenient for those users who are unfamiliar with the basic operations of a computer.

25

The prior art scanner includes a casing, a scanning module installed inside the casing for scanning a document and generating corresponding image data, and a connecting port installed in the casing for electrically connecting to a computer. When the scanning module finishes scanning the document, the image data of the document is transmitted to the computer via the connecting port. The data is subsequently processed by the computer, and the

image data may be stored on the hard disk of the computer or it may be transmitted to the printer.

Portable storage devices typically connect to a computer via
5 a printer port, a serial port, or standard interfaces, such as
SCSI or USB. These interfaces are the interfaces that are often
used to establish communications between a printer and a computer.
If the said interfaces can be built into the scanner, and an
appropriate control circuit with an independent processor are
10 incorporated with the scanner to simulate typical computer
controlling signals, the scanner could function independently of
a computer. Users unfamiliar with the operations of a computer
would be able to easily take advantage of the functionality of
the scanner. The scanner could operate as a copier, or could be
15 used to store document image data onto a portable storage media
so that the user could take away the information in a digital format.
Furthermore, the loss of image quality during the scanning and
printing procedures can be reduced.

20 A prior art (R.O.C patent number: 370760) document discloses
a scanner with a portable storage device built into it. The scanner,
however, is unsuitable for actual use. Portable storage devices
are continually being replaced by new designs. Storage capacity
is getting growing, and the associated storage format is changing
25 rapidly. Devices designed by the same company, but manufactured
in different periods, are not always compatible. Storage devices
with different formats, manufactured by different companies, have
even more incompatibility problems. For example, there are at
least thirty or forty types of portable storage devices known and
30 chosen by people in the market, such as a 3.5 inch floppy disks,
a PCMCIA cards, portable hard disks, externally connected hard
disks, LS120 devices, CD-R devices, CD-RW devices, DVD-RAM

devices (in more than seven different formats), ZIP drives, etc. Regardless of the type of portable storage device that is built into the scanner, it will soon be superseded by newer devices. As only two or three types of portable storage devices can be
5 incorporated into the prior art scanner, if the user doesn't have the appropriate format, he or she will be unable to store the image data . For example, if a PCMCIA card is built into the scanner, users having a PCMCIA card can store image data from the scanner and take it away. Another user, however, who has only a CD-R as
10 storage device, will be unable to save the image data.

On the other hand, the interfaces of portable storage devices are rarely changed. For example, almost every portable storage device uses a parallel port, a serial port, a SCSI port or a USB
15 port on the computer. If the scanner provides the type of interface that is usually used for portable storage devices, rather than providing a storage device built into the scanner, users may easily connect every kind of portable storage device to the scanner. SCSI interfaces, for example, are used on many portable storage devices.
20 Such an interface could be built into the scanner, enabling users who intend to store image data to save the data on their SCSI storage device. Similar functionality could be made use of the other types of ports mentioned above. In this manner, the ever-changing media formats of storage devices, and the resulting
25 incompatibilities, can be avoided.

SUMMARY OF THE INVENTION

It is therefore a primary objective of the present invention
30 to provide a scanner which may be operated independently of a computer, the scanner having an output port connected to a printer or a storage device so as to solve the above mentioned problems.

00780" 5286960

In an preferred embodiment of the present invention, the scanner includes a casing, a scanning module installed inside the casing for scanning a document and generating corresponding image data, a control unit installed in the casing for controlling the operations of the scanner, and an output port electrically connected to the control unit for connecting to an external printer or to a portable storage device. When the scanning module finishes scanning a document, the control unit transmits the image data of the document to the storage device or to the printer according to the kind of the device connected to the output port.

The present invention scanner includes a control unit and an output port, and can be connected to a printer or to a portable storage device. The control unit controls the storage or printing of the image data of the document according to the type of device that is connected to the output port. Users may chose either one as needed.

These and other objectives of the present invention will no doubt become obvious to those of ordinary skill in the art after reading the following detailed description of the preferred embodiment, which is illustrated in the various figures and drawings.

25

BRIEF DESCRIPTION OF THE DRAWINGS

Fig.1 is a schematic diagram of the present invention scanner. Fig.2 is a functional block diagram of the scanner shown in Fig.1. Fig.3 is an alternative scanner of the present invention. Fig.4 is a functional block diagram of the scanner shown in Fig.3.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

002780" 52865960

Please refer to Fig.1 and Fig.2. Fig.1 is a schematic diagram of the present invention scanner 10. Fig.2 is a functional block diagram of the scanner 10 shown in Fig.1. The scanner 10 includes a casing 12, a scanning module 14 installed inside the casing for scanning a document 13 and generating corresponding image data 30, a control unit 16 installed in the casing for controlling the operations of the scanner 10, an output port 18 electrically connected to the control unit 16 for connecting to an external printer 20 or to a portable storage device 21, and a connecting port installed on the casing and electrically connected to the control unit 16 for optionally connecting the scanner 10 to a computer 24. The portable storage device 21 could be a hard drive, a floppy drive, a writable optical drive, etc. In the embodiment depicted, only the printer 20 shown in Fig.1 is connected to the scanner 10, and only the portable storage device 21 in Fig.2 is connected. When the scanning module 14 finishes scanning the document 13, the control unit 16 transmits the image data 30 of the document 13 to the storage device 21 or to the printer 20, depending on the type of device that is connected to the output port 18.

The control unit 16 includes a memory 26 for storing both a control program 28 and the image data 30 generated by the scanning module 14, and a processor 32 for executing the control program 28. When the scanning module 14 finishes scanning the document 13, the control program 28 identifies the device connected to the output port 18 and then controls the transmission of the image data 30 of the document 13 from the memory 26 to the storage device 21 or to the printer 20 via the output port 18. Hence, the image data 30 need not be processed by the computer 24. Because the

present invention scanner 10 can be used without the computer 24, a user only needs the scanner 10 and the printer 20, or the portable storage device 21, to print or store image data generated by scanning. In public places, such as a library or an office, the present invention scanner can be connected to at least one storage device 21 according to the specific output port, and users only need to have the proper corresponding storage media to take away the image data.

When the scanning module 14 finishes scanning the document 13, the control unit 16 may also transmit the image data 30 of the document 13 to the computer 24 via the connecting port 22. The computer 24 may then transmit the image data to the printer 20. Hence, the present invention scanner 10 can store or print data both with and without the computer 24. Users may choose either option as needed.

Please refer to Fig.3 and Fig.4. Fig.3 is an alternative scanner 50 of the present invention. Fig.4 is a functional block diagram of the scanner 50 shown in Fig.3. The main difference between the scanner 10 and the scanner 50 is that the output port 18 of the scanner 50 can only be connected to the portable storage device 21, and the scanner 50 further includes a printer port 52 electrically connected to the control unit 16 for connecting to an external printer 20. When the scanning module 50 finishes scanning the document 13, the control unit 16 transmits the image data 30 of the document 13 to the storage device 21 via the output port 18 or to the printer 20 via the printer port 52.

In contrast to the prior art scanner, the present invention scanners 10, 50 include control units and output ports, and can be externally connected to a printer or to a portable storage

CLAIMS

What is claimed is:

5

1. A scanner comprising:

a casing;

a scanning module installed inside the casing for scanning

a document and generating corresponding image data;

10

a control unit installed in the casing, the control unit

comprising at least a memory for storing a control program

and the image data generated from the scanning module, and

a processor for executing the control program to control

the operations of the scanner; and

15

an output port electrically connected to the control unit for

connecting to at least one of different types of portable

storage devices;

wherein when the scanning module finishes scanning a document,

the control unit transmits the image data of the document to

20

the storage device according to the type of storage device

that is connected to the output port.

2. The scanner of claim 1 wherein the output port is connected

to a printer, and when the scanning module finishes scanning

25

a document, the control unit prints out the image data of the

document via the printer.

3. The scanner of claim 2 wherein the control program first

identifies the type of storage device connected to the output

30

port, and then controls the transmission of the image data

of the document according to the said type.

4. The scanner of claim 1 wherein the scanner further comprises
a connecting port installed on the casing and electrically
connected to the control unit for connecting to a computer,
and when the scanning module finishes scanning the document,
5 the control unit transmits the image data of the document to
the computer for further processing via the connecting port.
5. The scanner of claim 1 wherein the portable storage device
is a hard drive or a floppy drive or a writable optical drive.
- 10 6. A scanner comprising:
a casing;
a scanning module installed inside the casing for scanning
a document and generating corresponding image data;
15 a control unit installed in the casing, the control unit
comprising at least a memory for storing a control program
and the image data generated from the scanning module, and
a processor for executing the control program to control
the operations of the scanner;
20 an output port electrically connected to the control unit for
connecting to an external portable storage device; and
a printer port electrically connected to the control unit for
connecting to an external printer;
wherein when the scanning module finishes scanning a document,
25 the control unit transmits the image data of the document to
the storage device via the output port, or transmits the image
data of the document to the printer via the printer port for
printing.
- 30 7. The scanner of claim 6 wherein the scanner further comprises
a connecting port installed on the casing and electrically
connected to the control unit for connecting to a computer,

and when the scanning module finishes scanning the document,
the control unit transmits the image data of the document to
the computer for further processing via the connecting port.

- 5 8. The scanner of claim 6 wherein the portable storage device
is a hard drive or a floppy drive or a writable optical drive.

ABSTRACT

A scanner with an output port connected to a printer or a storage device. The scanner includes a casing, a scanning module
5 installed inside the casing for scanning a document and generating
corresponding image data, a control unit installed in the casing
for controlling the operations of the scanner, and an output port
electrically connected to the control unit for connecting to an
external printer or a portable storage device. When the scanning
10 module finishes scanning a document, the control unit transmits
the image data of the document to the storage device or to the
printer for printing according to the type of device connected
to the output port.




Fig. 1





Fig. 2






Fig. 4

As a below named inventor, I hereby declare that:

“Scanner with an output port connected to a printer or a storage device”

 + The specification for the above entitled invention is filed herewith.

_____The specification for the above entitled invention was filed previously
with application serial number: _____ Filing Date: _____

I acknowledge the duty to disclose information which is material to the patentability of the invention disclosed in this application in accordance with Title 37, Code of Federal Regulations, Section 1.56 (a). I further acknowledge the duty in any continuation-in-part application to disclose to the Patent and Trademark Office all information known to be material to the patentability of the invention disclosed in this application, as defined in 1.56, which became available to me between the filing date of the prior application and the filing date of this application.

_____ There is no claim of priority.

 + Claim of priority is based on the following:

Filing Date in Taiwan: March 10, 2000

Filing Number in Taiwan: 89104333

As a named inventor, I hereby appoint the following attorney to prosecute this application and to transact all related business in the Patent and Trademark Office:

Combined Declaration and Power of Attorney, Page 1 of 2

DECLARATION

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued hereon.

Date: 8.14.2000 Michael Chen
Printed Name: Michael Chen
Post Office Address: 5F, No. 4, Alley 1, Lane 57, Min-Hu Road,
and Residence: Hsinchu, Taiwan, R.O.C.
Citizen of: R.O.C.

Date: _____
Printed Name: _____
Post Office Address: _____
and Residence: _____
Citizen of: _____

Date: _____
Printed Name: _____
Post Office Address: _____
and Residence: _____
Citizen of: _____

Date: _____
Printed Name: _____
Post Office Address: _____
and Residence: _____
Citizen of: _____

Date: _____
Printed Name: _____
Post Office Address: _____
and Residence: _____
Citizen of: _____

Please type a plus sign (+) inside this box → ☐

PT O/SB02B (3-97)
Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Supplemental Priority Data Sheet

Additional foreign applications:

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
89104333	Taiwan, R.O.C.	03/10/2000	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Additional provisional applications:

Application Number	Filing Date (MM/DD/YYYY)

Additional U.S. applications:

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.